

# Water Quality Association

4/16/2018



## CERTIFIED DRINKING WATER SYSTEM COMPONENTS

### *NSF/ANSI 61 - 2016: Drinking Water System Components - Health Effects*

#### Hide Description

This Standard establishes minimum health effects requirements for the chemical contaminants and impurities that are indirectly imparted to drinking water from products, components, and materials used in drinking water systems. This Standard does not establish performance, taste and odor, or microbial growth support requirements for drinking water systems products, components, or materials.

Drinking Water Treatment Products certified to NSF/ANSI 61 have not been tested or evaluated for contaminant reduction performance. Contaminant reduction testing and certification claims shall be evaluated via the industry's residential drinking water treatment standards.

### Ion Enterprises (Dorset, United Kingdom)

4 Cedar Park, Cobham Road, Ferndown Industrial Estate, Wimborne, Dorset BH21

Dorset,

United Kingdom

<http://scalebuster.com/>

#### Product Type: Component

Brand Name	Model	Water Contact Temp	Water Contact Material	Size
	ScaleBuster® SBxxx <sup>1</sup> <sup>2</sup> <sup>3</sup> <sup>4</sup> <sup>5</sup> <sup>6</sup>	Cold 23	Various	>= 1/2"

<sup>1</sup> Certified for equivalent metric sizes.

<sup>2</sup> Certification does not include flange gaskets.

<sup>3</sup> xxx is a two to three digit number that indicates the connection size in millimeters. 1/2" to 2" models may have the following suffixes: UT. 2" and greater models have the follow suffixes: UF-150.

<sup>4</sup> Certification does not include point-of-entry (POE) and point-of-use (POU) drinking water treatment end uses.

<sup>5</sup> Flanged models are Certified for a minimum daily flow of 20 L. Threaded models are Certified for a minimum daily flow of 265 L.

<sup>6</sup> The 1/2" - 2" models are available with threads. The 2" and greater models are available with flanges.